

FAULKNER COUNTY
JIM B. BAKER
COUNTY JUDGE
801 LOCUST STREET • CONWAY, AR 72034

FILED
TIME: 2
MAR 02 2021
MARGARET DARTER
FAULKNER COUNTY CLERK
BY Amelia DC

IN THE COUNTY COURT OF FAULKNER COUNTY, ARKANSAS

COURT ORDER NO. 21-022

IN THE MATTER OF
ACCEPTING A BID FOR
THE PURCHASE OF A NO-TILL DRILL


Having opened and reviewed the submitted bids for the purchase on a No-Till Drill on February 25, 2021. The Court finds that the following bid is accepted in that it is the lowest bid that meets all bid specifications:

<u>Company</u>	<u>Bid Amount</u>
GrassRoots Equipment & Outdoors	\$ 31,860.00

The Court finds that the following bids were not the lowest bid that met all bid specifications:

River Valley Tractor	\$36,899.74
Greenway Equipment, Inc.	\$ 26,462.81

IT IS SO ORDERED.



Jim B. Baker
Faulkner County Judge
March 2, 2021

Faulkner County, Arkansas

No-Till Drill Bid

BID SHEET

FILED
TIME: _____

FEB 25 2021

MARGARET DARTER
FAULKNER COUNTY CLERK
BY Amelia DC


Total Bid Price including taxes: \$31,860.00

Delivery Date: Delivery can be made at any point upon payment

Company Name: GrassRoots Equipment & Outdoors

Company Representative (Print name): Jordan Turner

Company Representative (Signed Name):



Phone Number: Business – 870-569-8086

Cell – 870-613-3069

Email address: jordan@greando.com

Date: February 9, 2021

Thank You for the Opportunity to assist you with your needs!

Grass Roots



Equipment & Outdoors

To Whom it may concern:

The following is a Haybuster Model 107C, No Till Seed Drill. We at Grass Roots Equipment are an authorized dealer for Haybuster Equipment. We carry parts and service for all models of Haybuster Equipment at both Grass Roots Equipment locations. The following information is the specs and options we currently have on a model 107C No Till Drill. We also have this unit in stock and could have it ready for delivery to you any day upon payment.

Thank You for the Opportunity

Jordan Turner

Grass Roots Equipment

9261 Hwy 65 South

Bee Branch, AR 72013

501-745-4660

107C Seed Drill Options

Base Unit

107C All Purpose Drill with 2 in. x 15- $\frac{1}{2}$ in. (50.8 mm x 394 mm) Steel Press Wheels

Drill Hitches

Swivel Single Drill Hitch Kit with safety chain

Legume box

The legume box attachment features fluted-feed cups which are capable of accurately metering small seeds even at very low rates. The hopper will hold up to 2.2 bushels of seed. The optional legume box drop tube assembly includes 18 drop tubes for each 10-ft. (3.12 m) drill section, and separates the legume box from the coulter-disc openers. The legume box allows for shallow seed placement.

Single Bottom Agitator

Keeps seeds from bridging in the seed box.

**HAYBUSTER
107C Seed Drill General Specifications****WEIGHT**

Total 4,200 lbs (1,905.1 kg)

TRANSPORT & WORKING DIMENSIONS

Overall Width 10 ft 5 in (3.18 m)
Height 6 ft 2 in (1.88 m)
Road Clearance 7 in (17.78 cm)

CHASSIS FEATURES

Front tire type Implement
Front tire size 9.5 L x 14 (35.56 cm)
Rear tire type Implement
Rear tire size 7.60 L x 15 (38.1 cm)
Hydraulic Lift Cylinder Standard equipment

SEED & METERING

Molded Seed Cups with Wind Gards and
Tripple Width Seed Wheels in Rear Seed Box
Seed Box 14 Bushel (493 liter)
Feed System Infinitely Adjustable Meter
Fertilizer Box 1,100 lbs (499 kg) 13.5 Bushel (375.7 liter)
Walk Board Size 10 in x 8'-6" (24.5 cm x 2.59 m)
Walk Board Type Steel Safety Grating
Seed/Fertilizer Hose Type Rubber Convolutud
Seed/Fertilizer Hose Size 1-1/4 in. (3.18 cm) ID



SEED OPENERS

Seeding Row Spacing	7 in. (17.78 cm)
Seeding Width	10 ft 6 in (3.2 m)
Number of Seed Openers	18
Opener Type	Coulter-Disc Offset Opener
Coulter Lead Distance	1-1/2 in. (3.81 cm)
Opener Spring Pressure Range	135 lbs. to 300 lbs. (61.24 kg to 136.08 kg)
Opener Travel Range	10 in. (25.4 cm)
Disc Soil Penetration Range	Up to 3 in. (7.62 cm)
Coulter Size	5/32 in. x 14 in (4 mm x 35.56 cm) dia.
Disc Size	3/32 in. x 14 in (2.4 mm x 35.56 cm) dia.
Disc Bearings	Heavy Duty - Sealed 3/4 in. (1.9 cm) Double Row Ball Bearings

PACKER WHEELS

Types	2 in. x 15-1/2 in (5.08 cm x 39.37 cm) Steel
-------	--

REQUIREMENT FOR OPERATION

Drill Hitch	
Horsepower requirements	50 HP Minimum - Dependent upon terrain and soil conditions

AFFP
NOTICE TO BIDDERS Faulkne

FILED
TIME:
FEB 25 2021

MARGARET DARTER
FAULKNER COUNTY CLERK
BY: *Amelia* DC

Affidavit of Publication

STATE OF ARKANSAS)
COUNTY OF FAULKNER) SS

NOTICE TO BIDDERS

Faulkner County will be accepting sealed bids on a No-Till Drill for the Faulkner County Conservation District.

Frank Leto, being duly sworn, says:

Bid specifications and Submittal forms may be obtained from the Faulkner County Judge's Office. Bids will be accepted until 9:00 am on Thursday, February 25, 2021, at which time they will be opened at the Faulkner County Judge's Office, located at 801 Locust Street Conway AR, 72034. Faulkner County reserves the right to accept or reject any or all bids placed and waive formalities.

That he is Publisher of the Log Cabin Democrat, a Daily newspaper of general circulation, printed and published in Conway, Faulkner County, Arkansas; that the publication, a copy of which is attached hereto, was published in the said newspaper on the following dates:

Bids should be submitted in total including taxes, for the price to be paid by Faulkner County Conservation District.

February 11, 2021

Direct questions and requests for clarifications related to this bid to Steve Martin at faulknercoco@gmail.com.

This information is also available on our website at www.faulknercounty.org/business/rfp

Publisher's Fee: \$ 81.80

Bids may be mailed to:
Faulkner County Judge's Office
Attn: No-Till Drill Bid
801 Locust Street
Conway AR, 72034


That said newspaper was regularly issued and circulated on those dates.

SIGNED:

[Handwritten Signature]

Subscribed to and sworn to me this 11th day of February 2021.

[Handwritten Signature]
Eliesha Wolverton, Notary Public 12/13/2026



90117143 90906440

FAULKNER COUNTY JUDGE
801 LOCUST STREET
CONWAY, AR 72034

NOTICE TO BIDDERS

Faulkner County will be accepting sealed bids on a No-Till Drill for the Faulkner County Conservation District.

Bid specifications and Submittal forms may be obtained from the Faulkner County Judge's Office. Bids will be accepted until 9:00 am on Thursday, February 25, 2021 at which time they will be opened at the Faulkner County Judge's Office, located at 801 Locust Street Conway AR, 72034. Faulkner County reserves the right to accept or reject any or all bids placed and waive formalities.

Bids should be submitted in total including taxes, for the price to be paid by Faulkner County Conservation District.

Direct questions and requests for clarifications related to this bid to Steve Martin at faulknercoed@gmail.com.

This information is also available on our website at www.faulknercounty.org/business/rfp

Bids may be mailed to:

Faulkner County Judge's Office
Attn: No-Till Drill Bid
801 Locust Street
Conway AR, 72034

BID INFORMATION AND BID SPECIFICATIONS

FOR

A BIDDING PROJECT

THIS BID PACKET CONTAINS INFORMATION
CONCERNING A PROJECT FOR
FAULKNER COUNTY, ARKANSAS
COUNTY JUDGE JIM BAKER

No-Till Drill

February 5, 2021

Date: February 5, 2021

Reference: No-Till Drill

Bid is to be addressed to:

Faulkner County Judge's Office
Attn: No-Till Drill Bid
801 Locust Street
Conway AR, 72034

BIDS ARE DUE ON Thursday, February 25, 2021 @ 9:00am

Bids may be mailed or hand delivered to Judge Jim Baker, County Judge, Faulkner County, Arkansas. All bids must be turned in prior to the 9:00 AM deadline.

*****Faxed, Phone, or e-mail bids will not be accepted.

*****All bids must be in a sealed envelope and marked Attn: No-Till Drill Bid

Faulkner County Conservation District No-Till Drill Requirements and Specifications:

Transport Working Dimensions:

Weight: minimum 4200 lbs

Overall width: 10ft 5inches

Height: 6ft 2in

Road Clearance: 7inches

Chassis Features

Front tire type: Implement

Front tire size: 9.5L x 14

Rear tire type: Implement

Rear tire size: 7.60L x 15

Hydraulic Lift Cylinder: Standard equipment

Seed & Metering

Molded Seed Cups with Wind Guards and

Triple Width Seed Wheels in Rear Seed Box

Seed Box: 14 Bushel

Feed System: Infinitely Adjustable Meter

Fertilizer Box: 1,100 lbs, 13.5 Bushel

Walk Board size: 10 inches x 8ft 6inches

Walk Board Type: Steel Safety Grating

Seed/Fertilizer Hose Type: Rubber Convuluted

Seed/Fertilizer Hose Size: 1-¼ inches

Seed Openers

Seeding Row Spacing: 7 inches

Seeding Width: 10 ft. 6 inches

Number of Seed Openers: 18

Opener Type: Coulter-Disc Offset Opener

Coulter Lead Distance: 1-½ inches

Opener Spring Pressure Range: 135 lbs. To 300 lbs.

Opener Travel Range: 10 inches

Disc Soil Penetration Range: Up to 3 inches

Coulter Size: 5/32 inches x 14 inches

Disc Size: 3/32inches x 14 inches

Disc Bearings: Heavy Duty-Sealed ¾ inches

Packer Wheels

Type: 2 inches x 15 ½ inches

Requirement for Operation:

Drill Hitch

Horsepower requirements: 50 HP Minimum

Tractor Weight- Must be of equal or greater weight than that of the drill filled with seed.

BID SHEET

Total Bid Price **including** taxes: _____

Delivery Date: _____

Company Name: _____

Company Representative (Print name): _____

Company Representative (Signed Name): _____

Phone Number: _____

Email address: _____

Date: _____

Faulkner County, Arkansas

No-Till Drill Bid

BID SHEET

FILED
TIME: _____

FEB 25 2021

MARGARET DARTER
FAULKNER COUNTY CLERK
BY Amelia DC

Total Bid Price including taxes: \$24,462.81

Delivery Date: 45 Days

Company Name: GREENWAY Equipment Inc

Company Representative (Print name): Rob Watson

Company Representative (Signed Name): RL WL

Phone Number: (870) 351-3713

Email address: rwatson@gogreenway.com

Date: Feb, 24, 2021



Quote Id: 23686178

Prepared For:
Faulkner County Conservation



Helping You Cultivate Success

Prepared By: **Daniel Watson**

Greenway Equipment, Inc.
205 Tilk Drive - Lot #5b
Conway, AR 72032

Tel: 501-327-7775
Fax: 501-764-3114
Email: rwatson@gogreenway.com

Date: 17 February 2021

Offer Expires: 24 February 2021

Confidential



Quote Summary

Prepared For:
Faulkner County Conservation
AR

Prepared By:
Daniel Watson
Greenway Equipment, Inc.
205 Tilk Drive - Lot #5b
Conway, AR 72032
Phone: 501-327-7775
rwatson@gogreenway.com

Quote Id: 23686178
Created On: 17 February 2021
Last Modified On: 24 February 2021
Expiration Date: 24 February 2021

Equipment Summary	Suggested List	Selling Price	Qty	Extended
REMLINGER 2300 No-Till Drill	\$ 24,250.00	\$ 24,250.00 X	1 =	\$ 24,250.00
Equipment Total				\$ 24,250.00

Quote Summary	
Equipment Total	\$ 24,250.00
SubTotal	\$ 24,250.00
State Tax - (6.50%)	\$ 1,576.25
Local Tax - (2.125%)	\$ 515.31
County Tax - (0.50%)	\$ 121.25
Est. Service Agreement Tax	\$ 0.00
Total	\$ 26,462.81
Down Payment	(0.00)
Rental Applied	(0.00)
Balance Due	\$ 26,462.81

Salesperson : X _____

Accepted By : X _____



JOHN DEERE

Selling Equipment



Quote Id: 23686178

REMLINGER 2300 No-Till Drill				
Hours:	0			Suggested List
Stock Number:				\$ 24,250.00
				Selling Price
				\$ 24,250.00
Code	Description	Qty	Unit	Extended
Remlinger	2300 No-Till Drill 10'	1	\$ 24,250.00	\$ 24,250.00
Standard Options - Per Unit				
1	w/ small seed attachment	1	\$ 0.00	\$ 0.00
2	7.5 in spacing	1	\$ 0.00	\$ 0.00
	Standard Options Total			\$ 0.00
	Suggested Price			\$ 24,250.00
	Customer Discounts			
	Customer Discounts Total		\$ 0.00	\$ 0.00
Total Selling Price				\$ 24,250.00

Model 2300 No-Till Drills



ISO9001:2015 certified

Our Tradition is Quality Driven and Field Proven




2300 Series No-Till Drills

Available in 5, 7, 10 and 15 ft.

Remlinger 2300 Series No-Till Drills

- 3 pt. or pull type units • 5', 7', 10' and 15' sizes • No-Till • Convert to conventional from no-till by pulling one pin
- Native grass seed hopper, meters, seed tube available • Main hopper 3 bu/ft capacity • 7-1/2" spacing



Heavy duty double disk, staggered mounting (6"), Quick T handle depth adjustment, 2 x 13 press wheels.



Pull this pin on each row to remove no-till coulters. This converts drill from no-till to conventional.

All hoppers have a lockup latch on lid for easier filling

Seed rate adjustment levers are easily accessible and make adjustments quick

Main hopper has a 3 bu/ft capacity

The walkboard folds up and out of the way, allowing easy access to the openers

3-point hitch fits Category II or III tractors

Pull-type 2300 Drills have the wheels in the rear for narrow transport

Heavy-duty pull-type hitch (with jack) pins onto standard 3-point

Options:

- Native Grass hopper with 1.26 bu/ft capacity
- Small Seed hopper with 0.27 bu/ft capacity

Remlinger Manufacturing reserves the right to change pricing or specifications at anytime without notice or obligation.



Remlinger Manufacturing Co., Inc.
16394 U.S. 224 • P.O. Box 299
Kalida, OH 45853
1.800.537.7370 • 419.532.3647
Fax: 1.419.532.2244
www.remlingermg.com

Faulkner County, Arkansas

No-Till Drill Bid

BID SHEET

FILED

TIME:

FEB 25 2021

LAND PRIDE 1006 NT -1575-0321-04-83-47

MARGARET DARTER
FAULKNER COUNTY CLERK
BY Amelia DC

Total Bid Price including taxes: 36,899⁷⁴

Delivery Date: 5/15/21

Company Name: RIVER VALLEY TRACTOR

Company Representative (Print name): ROBERT HICKS

Company Representative (Signed Name): Robert Hicks

Phone Number: 501-329-3400

Email address: ROBERTH@RIVERVALLEYTRACTOR.COM

Date: 2-24-21

706NT/1006NT No-Till Drills

RETURN TO INDEX

706NT: 55 HP Min., 1006NT: 75 HP Min.

Compact Drills



- Rephasing cylinders with stroke control valve
 - Two 9" X 24" 8-ply tires stubble resistant tires
 - Acrometer
 - Steel walkboard with ladder
 - Tongue jack
 - 1 3/4" fluted feed cups
 - V-bottom dividers (n/a on native grass & fertilizer drills)
 - 4 Speed Gearbox
 - 1 3/2" diameter offset double disk opener blades
 - Seed tubes & flaps in each opener
 - Spring steel mounting bar for coulter
 - Heavy duty coil spring for coulter
 - T-handle adjust depth control system
 - Grease bank
 - Lock-out hub
 - Built in weight bracket
 - 1 lb. container graphite (NATIVE GRASS model only)
 - Calibration Crank
 - Safety chain
 - Seed level indicator
 - Main Box Capacity: 2.4 bu/ft
 - Transport Light Kit
- Available only in ORANGE

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	APPROX. SHIPPING WEIGHT	LIST PRICE
706NT82-1075-03	706NT SERIES NO-TILL COMPACT DRILL - 7' WIDTH 10 Rows, 7.5" Row Spacing 2x13 Single Press Wheels	3315#	3315#	\$ 27,032
706NT82-1075-05	706NT SERIES NO-TILL COMPACT DRILL - 7' WIDTH 10 Rows, 7.5" Row Spacing 3x13 Center Rib Press Wheels	3315#	3315#	\$ 27,170
1006NT82-1575-03	1006NT SERIES NO-TILL COMPACT DRILL - 10' WIDTH 15 Rows, 7.5" Row Spacing 2x13 Single Press Wheels	5200#	5200#	\$ 33,025
1006NT82-1575-05	1006NT SERIES NO-TILL COMPACT DRILL - 10' WIDTH 15 Rows, 7.5" Row Spacing 3x13 Center Rib Press Wheels	5200#	5200#	\$ 33,598

ADD OPTION NO	COULTER OPTIONS - You Must Choose One		
-21	5/16" Fluted	\$	N/C
-24	5/8" Turbo	\$	N/C

ADD OPTION NO	HITCH OPTION		
-64-81	Standard Tongue, Pintle Hitch	\$	N/C
-64-83	Standard Tongue, Clevis Hitch	\$	N/C

BOX OPTIONS - You Must Choose One						
Option:	-40	-41	-43	-44	-46	-47
	Seed Only	Seed w/ Small Seeds	Seed and Series II Native Grass	Seed and Series II Native Grass w/ Small Seeds	Seed and Fertilizer	Seed and Fertilizer w/ Small Seeds
706NT	STD	\$3,884	\$8,403	\$12,288	\$6,809	\$9,692
1006NT	STD	\$4,099	\$10,613	\$14,711	\$7,060	\$10,004

ADD OPTION NO	ACCESSORIES		
118-895A	706NT Agitator - 7.5" Row Spacing w/ Drive for Seeds Only or Native Grass	\$	439
118-896A	706NT Agitator - 7.5" Row Spacing w/o Drive for Fertilizer or Small Seeds	\$	373
118-899A	1006NT Agitator - 7.5" Row Spacing w/ Drive for Seeds Only or Native Grass	\$	474
118-900A	1006NT Agitator - 7.5" Row Spacing w/o Drive for Fertilizer or Small Seeds	\$	415
817-087C	Seed Cup Plugs - Dealer installed	\$	5/row

* Agitator installed in main box does not replace native grass box.
For native grass seeding, the Native Grass option is required.

These products are sold under different programs. See Terms & Policies for details.

Faulkner County Conservation District No-Till Drill Requirements and Specifications:

Transport Working Dimensions:

Weight: minimum 4200 lbs

Overall width: 10ft 5inches

Height: 6ft 2in

Road Clearance: 7inches

Chassis Features

Front tire type: Implement

Front tire size: 9.5L x 14

Rear tire type: Implement

Rear tire size: 7.60L x 15

Hydraulic Lift Cylinder: Standard equipment

Seed & Metering

Molded Seed Cups with Wind Guards and
Triple Width Seed Wheels in Rear Seed Box

Seed Box: 14 Bushel

Feed System: Infinitely Adjustable Meter

Fertilizer Box: 1,100 lbs, 13.5 Bushel

Walk Board size: 10 inches x 8ft 6inches

Walk Board Type: Steel Safety Grating

Seed/Fertilizer Hose Type: Rubber Convoluted

Seed/Fertilizer Hose Size: 1-¼ inches

Seed Openers

Seeding Row Spacing: 7 inches

Seeding Width: 10 ft. 6 inches

Number of Seed Openers: 18

Opener Type: Coulter-Disc Offset Opener

Coulter Lead Distance: 1-½ inches

Opener Spring Pressure Range: 135 lbs. To 300 lbs.

Opener Travel Range: 10 inches

Disc Soil Penetration Range: Up to 3 inches

Coulter Size: 5/32 inches x 14 inches

Disc Size: 3/32inches x 14 inches

Disc Bearings: Heavy Duty-Sealed ¾ inches

Packer Wheels

Type: 2 inches x 15 ½ inches

Requirement for Operation:

Drill Hitch

Horsepower requirements: 50 HP Minimum

Tractor Weight- Must be of equal or greater weight than that of the drill filled with seed.